


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


Fig. 1



09765380-052201

Fig. 2


1 2 0



09765380-052201

FO2250" 08E99460

Fig. 3



FO2250" 08E59260

Fig. 4




Fig. 5





Fig. 6



00755380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 7





Fig. 8



09765380-052201

Fig. 9






Fig. 10



102250-08559760

APPROVED	O.G. FIG.	
BY	DATE	SUBCLASS
DRAFTSMAN		

Fig. 11



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 12






Fig. 13



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


Fig. 14



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


Fig. 15



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FO2250" 08E59/60


Fig. 16



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FO2250" 08E59260

Fig. 17



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FO2250-08E59/60

Fig. 18





Fig. 19



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 20





Fig. 21



09765380-052201

Fig.22




Fig.23





Fig. 24



09765380 0522001
102250 08259/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 25





Fig. 26



09765380-052201

Fig. 27





Fig. 28



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 29





Fig. 30



09765380.052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 31





Fig. 32



00765380 052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 33






Fig. 34



09765380-052001

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 35



09765380.052204

Fig. 36






Fig. 37




09755380.052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

F i g . 3 8 (A)



F i g . 3 8 (B)



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 39 (A)





Fig. 39 (B)



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 40 (A)





Fig. 40 (B)



09765380 052201
102250 08E59/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

102250-08E59260

Fig. 41(B)




Fig. 41(C)






Fig. 41(A)



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 42



09765380-052201
102250-08559/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 43(A)





Fig. 43(B)



102250-02E59/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 44 (A)




Fig. 44 (B)






Fig. 44 (C)



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 45



09765380-052201
FO2250-08E99/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig.46(A)





Fig.46(B)




09765380 052200
102250 08559260


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

F i g . 4 7 (A)

STARTING POINT OF ENLARGEMENT
OBJECT HAVING SUBNETWORK




F i g . 4 7 (B)



09765380.052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 48



09765380 052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		







Fig.49(C)



FO2250-08E59/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 50



09765380 052201 102250 0859760

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig.51(A)




Fig.51(B)





Fig.51(C)



09765380-052001

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig.52(A)





Fig.52(B)




0975380 05201
FO2250" 08E59/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


T02250" 08E59/60

Fig. 53



FO2250-08ES9260

Fig. 54



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 55






Fig. 56

00765380.052201



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 57



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 58






Fig. 59




09765380 052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

F i g. 60




F i g. 61



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 62



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FO2250-08E59260

Fig. 63(A)




Fig. 63(C)




Fig. 63(B)






Fig. 63(D)



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 64



09765380.052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 65





Fig. 66



09765380 052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 67




Fig. 68

(BUS)

POINTER TO SUBSTANTIAL OBJECT
POINTER TO BUS OF SUBSTANTIAL OBJECT
POINTER TO NEXT BUS
OTHER DATA

09765280-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 69






Fig. 70



102250" 08E59/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 71



09765380-0522001

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 72





Fig. 73



09765380 052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 74





Fig. 75



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 76





Fig. 77



00765380 052204
FO2250 08E59760

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 78






Fig. 79



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


Fig. 80



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


Fig. 81



0975380.052301
102250" 08E59/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 82




09765380-052201
FIG. 82

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


FO2250" 08E59/60

Fig. 83



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


Fig. 84



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 85



09765380-052201

Fig. 86





Fig. 87



09765380-052201

Fig. 88





Fig. 89



09765380-052201

Fig. 90






Fig. 91



09765380-052201
T02250-08E59760

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


Fig. 92



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 93



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
CHAFFMAN		

Fig. 94





Fig. 95

OBJECT B : BUS1	OBJECT C : BUS2
OBJECT B : BUS1	OBJECT D : BUS2
OBJECT B : BUS1	OBJECT E : BUS1

102250" 08E59/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 96



09765380 1052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 97





Fig. 98



09765380-052201
FORM 98-08E59/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 99




Fig. 100


OBJECT B : BUS1	OBJECT C : BUS2
OBJECT B : BUS1	OBJECT E : BUS1
OBJECT B : BUS1	OBJECT D : BUS2

09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

102250-0359/50


Fig. 101



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


102250" 0859/60

Fig.102



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 103



10250" 0859750

Fig. 104





Fig. 105



102250-0859760

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 106






Fig. 107



102250-0859/60


Fig. 108



102250" 0859/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


Fig. 110



09765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


Fig. 111



09765380 052204

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 112



00765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Fig. 113

	ITEMS	KEYWORDS	REMARKS
(A)	PROJECT PROJECT NAME PATH OF COMPILER SYSTEM PATH OF FIRSTSIGHT SYSTEM PATH OF USER AREA	LSIBuilderProject LSIBuilderProjectName MSVCRoot CoreRoot UserRoot	
(B)	DEFINITION OF ARCHIVES NAME OF ARCHIVES PATH OF LIB PATH OF DLL	Archives ArchivesName LibPath DllPath	
(C)	NAME OF LIBRARY TO BE BUILT COMPILE MODE DEFINITION OF #define AND typedef	LibName Debug Header	
(D)	DEFINITION OF LSI NAME OF LSI COLOR OF LSI DATA BUS NAME OF DATA CORRECTION PROCESS NAME OF DATA BUS TYPE OF VARIABLES DATA CORRECTION PROCESS DIRECT DEVELOPMENT INTO DefineConnector DISTINCTION BETWEEN INPUT AND OUTPUT COLOR OF BUS INSTRUCTION NAME OF INSTRUCTION BUS FUNCTION NAME OF ENTRY POINT MEANING OF RETURN VALUE INSTRUCTION PROCESS Cmd ? DIRECT DEVELOPMENT INTO Cmd OR Command COLOR OF BUS GLOBAL VARIABLES (GLOBAL VARIABLES INSIDE LSI) DEFINITION #define AND typedef INITIALIZATION PROCESS CONSTRUCTOR DESTRUCTOR	LSI LSIName Color DataBus ProcessName Name VariableType Process Inline IO Color InstBus Name ProcessName ReturnValue Process Cmd Inline Colo Variables Header Initialize Constructor Destructor	TREE COLORS OF RGB (0-255) CODE OF FUNCTION input OR output zero OR nonzero OR NUMERAL CODE OF FUNCTION yes/no CODE OF FUNCTION CODE OF FUNCTION CODE OF FUNCTION

00765380-052201

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

T02250" 0BES9260

Fig.114

FILE EDITING DISPLAY MAKE HELP																																											
<div><div>○project NAME</div><div>○information</div><div>○archives NAME</div><div>○information</div><div>○LSI NAME</div><div>○information</div><div>○instruction</div><div>○data</div><div>○LSI NAME</div><div>○information</div><div>○instruction</div><div>○data</div><div>○archives NAME</div><div>○information</div><div>○LSI NAME</div><div>○information</div><div>○instruction</div><div>○data</div><div>○LSI NAME</div><div>○information</div><div>○instruction</div><div>○data</div></div>		<div>LSI INFORMATION</div> <table><tr><td>LSI NAME</td><td>LSI COLOR</td><td>define...</td><td>...</td></tr><tr><td></td><td></td><td></td><td></td></tr></table> <div>INSTRUCTION BUS TABLE:</div> <table><tr><td>BUS NAME</td><td>ENTRY ...</td><td>RETURN VALUE...</td><td>...</td></tr><tr><td>...</td><td></td><td></td><td></td></tr><tr><td>...</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table> <div>DATA BUS TABLE:</div> <table><tr><td>BUS NAME</td><td>TYPE OF VARIABLE</td><td>INPUT & OUTPUT...</td><td>...</td></tr><tr><td>...</td><td></td><td></td><td></td></tr><tr><td>...</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td></tr></table>		LSI NAME	LSI COLOR	define...	...					BUS NAME	ENTRY ...	RETURN VALUE...								BUS NAME	TYPE OF VARIABLE	INPUT & OUTPUT...							
LSI NAME	LSI COLOR	define...	...																																								
BUS NAME	ENTRY ...	RETURN VALUE...	...																																								
...																																											
...																																											
BUS NAME	TYPE OF VARIABLE	INPUT & OUTPUT...	...																																								
...																																											
...																																											